

# Classic

---

# LAMP PARTS



## LED FIXTURES

VOL 1

Phone: 323.282.7041

Fax: 323.446.7534

CustomerService@ClassicLampParts.com

www.ClassicLampParts.com

# CATALOG CONTENTS

## PRODUCT CATEGORIES

Retrofit LED Disk Lights..... Pages 3-4  
 LED Disk Lights..... Pages 5-7  
 Under Cabinet LED Fixtures . Page 8  
 LED Exterior Fixtures ..... Page9-10

### COLOR FINISH CODES

-30/-40/WH ..... White  
 -31/BK..... Black  
 -49 ..... Aztec Bronze  
 -80 ..... Bright Satin Nickel

### LAMP CODES

MB/E26..... Medium Base  
 LED ..... Integrated Light Source  
 or LED Bulbs  
 (see item details)  
 KS..... Kelvin Select

## FINISHES



**-30/-40/WH**  
White



**-31/BK**  
Black



**-49/-66**  
Aztec Bronze




**-80**  
Bright Satin Nickel




### **KELVIN SELECT**

Allows for selectable color temperatures, all controlled from a switch. Range settings are 2700, 3000, 3500, 4000, and 5000 Kelvin. Color temperatures can be used for various applications; Warm white (3000K) is an inviting and relaxing temperature that is most similar to incandescents, Bright white (4000K) is closest to daylight and can be used for energetic and lively settings, and Cool white is a crisp and refreshing setting, good for tasks such as reading or seeing accurate color.

## KELVIN COLOR TEMPERATURE SCALE





<b>7.5" LED DISK LIGHT</b>	<ul style="list-style-type: none"> <li>• Fits 4-in J-Box or Converts 5-in or 6-in Recessed Fixture</li> <li>• Spring Clips for Recessed Housing, includes Medium Base Adapter</li> <li>• 120V Dimmable and Instant Full Brightness</li> <li>• Listed for Damp Locations</li> <li>• Kelvin Select (3 CCT)</li> </ul>		
			
<b>ITEM</b>	F18807-30-KS	F18807-31-KS	F18807-80-KS
<b>MASTER BOX</b>	24	24	24
<b>FINISH</b>	White	Black	Bright Satin Nickel
<b>WATTS</b>	12	12	12
<b>CRI</b>	80	80	80
<b>DIMENSIONS</b>	7-3/8-in x 1-3/8-in	7-3/8-in x 1-3/8-in	7-3/8-in x 1-3/8-in
<b>LUMENS</b>	800	800	800
<b>HOURS</b>	50,000	50,000	50,000
<b>KELVIN</b>	3000/4000/5000	3000/4000/5000	3000/4000/5000
<b>DIFFUSER</b>	Frosted Polycarbonate Lens		

**All Retrofit Fixtures Include Spring Clips and a Medium Base Adapter**



<b>7.5" LED DISK LIGHT</b>	<ul style="list-style-type: none"> <li>• Fits 4-in J-Box or Converts 5-in or 6-in Recessed Fixture</li> <li>• Spring Clips for Recessed Housing and Medium Base Adapter</li> <li>• 120V Dimmable, Listed for Wet Locations</li> </ul>	
<b>ITEM</b>	F19806-30-4K	F19806-30-3K
<b>MASTER BOX</b>	10	10
<b>FINISH</b>	White	White
<b>WATTS</b>	12	12
<b>CRI</b>	80	80
<b>DIMENSIONS</b>	7-1/2-in x 1-in	7-1/2-in x 1-in
<b>LUMENS</b>	900	900
<b>HOURS</b>	35,000	35,000
<b>KELVIN</b>	4000	3000
<b>DIFFUSER</b>	White Acrylic Lens	White Acrylic Lens


**All Retrofit Fixtures Include Spring Clips and a Medium Base Adapter**


<b>7.5" LED DISK LIGHT</b>	<ul style="list-style-type: none"> <li>• Fits 4-in J-Box or Converts 5-in or 6-in Recessed Fixture</li> <li>• Spring Clips for Recessed Housing and Medium Base Adapter</li> <li>• 120V Dimmable, Listed for Damp Locations</li> <li>• Kelvin Select (3 CCT)</li> </ul>
<b>ITEM</b>	F19806-30-KS
<b>MASTER BOX</b>	10
<b>FINISH</b>	White
<b>WATTS</b>	12
<b>CRI</b>	80
<b>DIMENSIONS (W X H)</b>	7-1/2-in x 1-in
<b>LUMENS</b>	900
<b>HOURS</b>	50,000
<b>KELVIN</b>	3000/4000/5000
<b>DIFFUSER</b>	White Acrylic Lens



# LED DISC LIGHTS



<b>DISK LIGHTS</b>	<ul style="list-style-type: none"> <li>• 120V Dimmable</li> <li>• Listed for Wet Locations</li> <li>• Kelvin Select (5 CCT)</li> </ul> 		
<b>ITEM</b>	F15606-30-KS	F15607-30-KS	F15609-30-KS
<b>MASTER BOX</b>	24	24	24
<b>FINISH</b>	White	White	White
<b>WATTS</b>	10	15	18
<b>CRI</b>	90	90	90
<b>DIMENSIONS</b>	6-in x 7/8-in	7-1/4in x 7/8-in	9-1/2-in x 1-1/4-in
<b>LUMENS</b>	700	1100	1500
<b>HOURS</b>	50,000	50,000	50,000
<b>KELVIN</b>	2700/3000/3500/4000/5000	2700/3000/3500/4000/5000	2700/3000/3500/4000/5000
<b>DIFFUSER</b>	White Lens		

<b>DISK LIGHTS - MASTER PACKS OF 8</b>	<ul style="list-style-type: none"> <li>• 120V Dimmable</li> <li>• Listed for Wet Locations</li> <li>• Kelvin Select (5 CCT)</li> <li>• Individually Boxed, sold in Packs of 8</li> </ul> 	
<b>ITEM</b>	F15606-30-KS-8	F15607-30-KS-8
<b>MASTER BOX</b>	8	8
<b>FINISH</b>	White	White
<b>WATTS</b>	10	15
<b>CRI</b>	90	90
<b>DIMENSIONS</b>	6-in x 7/8-in	7-1/4in x 7/8-in
<b>LUMENS</b>	700	1100
<b>HOURS</b>	50,000	50,000
<b>KELVIN</b>	2700/3000/3500/4000/5000	2700/3000/3500/4000/5000
<b>DIFFUSER</b>	White Lens	

INCLUDES PIR SENSOR AND ADJUSTABLE TIME ON



 **KELVIN SELECT**

<b>DISK LIGHTS</b>	<ul style="list-style-type: none"> <li>• 120V Dimmable</li> <li>• Listed for Wet Locations</li> <li>• Kelvin Select (5 CCT)</li> <li>• PIR sensor and Adjustable Time On Included</li> </ul>
<b>ITEM</b>	F15607-30-KS-PIR
<b>MASTER BOX</b>	24
<b>FINISH</b>	White
<b>WATTS</b>	15
<b>CRI</b>	90
<b>DIMENSIONS</b>	7-1/4in x 7/8-in
<b>LUMENS</b>	1100
<b>HOURS</b>	50,000
<b>KELVIN</b>	2700/3000/3500/4000/5000
<b>DIFFUSER</b>	White Lens



 **KELVIN SELECT**

<b>7.5" LED DISK LIGHT</b>	<ul style="list-style-type: none"> <li>• Fits 4-in J-Box</li> <li>• 120V Dimmable, Listed for Wet Locations</li> <li>• F18626-30-KS: Kelvin Select (3 CCT)</li> </ul>
<b>ITEM</b>	F18626-30-KS
<b>MASTER BOX</b>	20
<b>FINISH</b>	White
<b>WATTS</b>	15
<b>CRI</b>	90
<b>DIMENSIONS (W X H)</b>	7-1/2-in x 1-1/8-in
<b>LUMENS</b>	950
<b>HOURS</b>	50,000
<b>KELVIN</b>	3000/4000/5000
<b>DIFFUSER</b>	White Acrylic Lens




<b>12" LED DISK LIGHT JA8</b>	<ul style="list-style-type: none"> <li>• 120V Dimmable, Listed for Damp Locations</li> </ul>
<b>ITEM</b>	F18210-30-1
<b>MASTER BOX</b>	10
<b>FINISH</b>	White
<b>WATTS</b>	24
<b>CRI</b>	90
<b>DIMENSIONS (W X H)</b>	11-13/16-in x 5/8-in
<b>LUMENS</b>	950
<b>HOURS</b>	50,000
<b>KELVIN</b>	3000
<b>DIFFUSER</b>	White Acrylic Lens




<b>7.5 DISK LIGHT</b>	<ul style="list-style-type: none"> <li>• 120V TRIAC Dimmable</li> <li>• Listed for Wet Locations</li> </ul>
<b>ITEM</b>	F15647-30-3K
<b>MASTER BOX</b>	24
<b>FINISH</b>	White
<b>WATTS</b>	15
<b>CRI</b>	90
<b>DIMENSIONS</b>	7-1/2in x 7/8-in
<b>LUMENS</b>	1200
<b>HOURS</b>	50,000
<b>KELVIN</b>	3000K
<b>DIFFUSER</b>	White Lens

# LED DISC LIGHTS



<b>SURFACE DOWNLIGHTS</b>	<ul style="list-style-type: none"> <li>• 120V Dimmable</li> <li>• Listed for Wet Locations</li> <li>• Kelvin Select (5 CCT)</li> </ul>  <b>KELVIN SELECT</b>		
<b>ITEM</b>	F15706-30-KS	F15707-30-KS	F15709-30-KS
<b>MASTER BOX</b>	24	24	24
<b>FINISH</b>	White	White	White
<b>WATTS</b>	10	15	18
<b>CRI</b>	90	90	90
<b>DIMENSIONS</b>	5-1/2"-in x 7/8-in	7-1/4-in x 7/8-in	8-7/8-in x 7/8-in
<b>LUMENS</b>	668	1186	1389
<b>HOURS</b>	50,000	50,000	50,000
<b>KELVIN</b>	2700/3000/3500/ 4000/5000	2700/3000/3500/ 4000/5000	2700/3000/3500/ 4000/5000
<b>DIFFUSER</b>	White Lens		

<b>SURFACE DOWNLIGHTS</b>	<ul style="list-style-type: none"> <li>• 120V Dimmable</li> <li>• Listed for Wet Locations</li> <li>• Kelvin Select (5 CCT)</li> </ul>  <b>KELVIN SELECT</b>	
<b>ITEM</b>	F15711-30-KS	F15713-30-KS
<b>MASTER BOX</b>	12	12
<b>FINISH</b>	White	White
<b>WATTS</b>	21	24
<b>CRI</b>	90	90
<b>DIMENSIONS</b>	10-15/16-in x 1-in	12-9/16-in x 1-in
<b>LUMENS</b>	2016	2386
<b>HOURS</b>	50,000	50,000
<b>KELVIN</b>	2700/3000/3500/ 4000/5000	2700/3000/3500/ 4000/5000
<b>DIFFUSER</b>	White Lens	




Plug in Style:



Interconnected LED Light Bars  
via 6 inch Linking Cable



Interconnected LED Light Bars



Female Connection

Male Connection

<b>12-IN UNDER CABINET PLUG IN LED FIXTURE</b>	<ul style="list-style-type: none"> <li>• Acrylic prismatic lens</li> <li>• 4W integrated LED array</li> <li>• 330 lumens, 3000K, 50,000 average rated hours</li> <li>• 120V non-dimmable with on/off rocker switch</li> <li>• Includes 6-1/2-in linking cable to connect multiple fixtures</li> <li>• 11-1/2-in W x 1-1/8-in D x 1-1/2-in H</li> <li>• Quick and easy plug in installation</li> </ul>	<b>16-IN UNDER CABINET PLUG IN LED FIXTURE</b>	<ul style="list-style-type: none"> <li>• Acrylic prismatic lens</li> <li>• 7W integrated LED array</li> <li>• 630 lumens, 3000K, 50,000 average rated hours</li> <li>• 120V non-dimmable with on/off rocker switch</li> <li>• Includes 6-1/2-in linking cable to connect multiple fixtures</li> <li>• 16-in W x 1-1/8-in D x 1-1/2-in H</li> <li>• Quick and easy plug in installation</li> </ul>	<b>20-IN UNDER CABINET PLUG IN LED FIXTURE</b>	<ul style="list-style-type: none"> <li>• Acrylic prismatic lens</li> <li>• 7W integrated LED array</li> <li>• 630 lumens, 3000K, 50,000 average rated hours</li> <li>• 120V non-dimmable with on/off rocker switch</li> <li>• Includes 6-1/2-in linking cable to connect multiple fixtures</li> <li>• 20-1/2-in W x 1-1/8-in D x 1-1/2-in H</li> <li>• Quick and easy plug in installation</li> </ul>			
	<b>CLP ITEM #</b>		F18812-30-1		<b>CLP ITEM #</b>	F18816-30-1	<b>CLP ITEM #</b>	F18822-30-1
	<b>MASTER BOX</b>		20		<b>MASTER BOX</b>	20	<b>MASTER BOX</b>	20
	<b>FINISH</b>		White		<b>FINISH</b>	White	<b>FINISH</b>	White




**12-IN UNDER CABINET DIRECT WIRE LED FIXTURE**

- Acrylic prismatic lens
- 5W integrated LED DOB
- 280 lumens, 3000K-4000K, 50,000 average rated hours
- 120V dimmable with on/off rocker switch
- 12-in W x 3-1/2-in D x 1-in H
- Direct Wire

<b>CLP ITEM #</b>	F19112-30-LED
<b>MASTER BOX</b>	20
<b>FINISH</b>	White



<b>10W ULTRA-SLIM LED FLOOD LIGHT</b>	<ul style="list-style-type: none"> <li>• Integrated LED SMD Chip Technology</li> <li>• 110° Spread</li> <li>• Threaded Knuckle Included</li> <li>• 10W / 900 Fixture Lumens</li> <li>• 120V</li> <li>• 4000 Kelvin</li> <li>• Listed for Wet Locations</li> <li>• 3-9/16"W x 1-1/2"D x 5-5/16"L</li> </ul>
<b>ITEM</b>	F17501-49-4K
<b>MASTER BOX</b>	10
<b>FINISH</b>	Aztec Bronze



<b>30W ULTRA-SLIM LED FLOOD LIGHT</b>	<ul style="list-style-type: none"> <li>• Integrated LED SMD Chip technology</li> <li>• 110° Spread</li> <li>• Threaded Knuckle Included</li> <li>• 30W / 3,450 Fixture Lumens</li> <li>• 100V - 277V</li> <li>• 4000 Kelvin</li> <li>• Listed for Wet Locations</li> <li>• 6-1/2"W x 1-1/2"D x 9-7/16"L</li> </ul>
<b>CLP ITEM #</b>	F17503-49-4K
<b>MASTER BOX</b>	10
<b>FINISH</b>	Aztec Bronze

<b>50W ULTRA-SLIM LED FLOOD LIGHT</b>	<ul style="list-style-type: none"> <li>• Integrated LED SMD Chip technology</li> <li>• 110° Spread</li> <li>• Threaded Knuckle Included</li> <li>• 50W / 5,800 Fixture Lumens</li> <li>• 100V - 277V</li> <li>• 4000 Kelvin</li> <li>• Listed for Wet Locations</li> <li>• 8-1/4"W x 1-1/2"D x 11-13/16"L</li> </ul>
<b>CLP ITEM #</b>	F17505-49-4K
<b>MASTER BOX</b>	6
<b>FINISH</b>	Aztec Bronze



with Photocell

<p><b>30W ULTRA-SLIM LED FLOOD LIGHT WITH PHOTOCCELL</b></p>	<ul style="list-style-type: none"> <li>• Integrated LED SMD Chip Technology</li> <li>• 110° Spread</li> <li>• Threaded Knuckle Included</li> <li>• 30W / 3,450 Fixture Lumens</li> <li>• 100V - 277V</li> <li>• 4000 Kelvin</li> <li>• Listed for Wet Locations</li> <li>• 6-1/2"W x 1-1/2"D x 9-7/16"L</li> </ul>
<p><b>ITEM</b></p>	<p>F17503-49-4K-PC</p>
<p><b>MASTER BOX</b></p>	<p>10</p>
<p><b>FINISH</b></p>	<p>Aztec Bronze</p>



with Photocell

<p><b>50W ULTRA-SLIM LED FLOOD LIGHT WITH PHOTOCCELL</b></p>	<ul style="list-style-type: none"> <li>• Integrated LED SMD Chip technology</li> <li>• 110° Spread</li> <li>• Threaded Knuckle Included</li> <li>• 50W / 5,800 Fixture Lumens</li> <li>• 100V - 277V</li> <li>• 4000 Kelvin</li> <li>• Listed for Wet Locations</li> <li>• 8-1/4"W x 1-1/2"D x 11-13/16"L</li> </ul>
<p><b>ITEM</b></p>	<p>F17505-49-4K-PC</p>
<p><b>MASTER BOX</b></p>	<p>6</p>
<p><b>FINISH</b></p>	<p>Aztec Bronze</p>

## Item Number Index

F15606-30-KS.....	5
F15606-30-KS-8 .....	5
F15607-30-KS.....	5
F15607-30-KS-8 .....	5
F15607-30-KS-PIR.....	6
F15609-30-KS.....	5
F15647-30-3K.....	6
F15706-30-KS.....	7
F15707-30-KS.....	7
F15709-30-KS.....	7
F15711-30-KS.....	7
F15713-30-KS.....	7
F17501-49-4K.....	9
F17503-49-4K.....	9
F17503-49-4K-PC.....	10
F17505-49-4K.....	9
F17505-49-4K-PC.....	10
F18210-30-1.....	6
F18626-30-KS.....	6
F18807-30-KS.....	3
F18807-31-KS.....	3
F18807-80-KS.....	3
F18812-30-1.....	8
F18816-30-1.....	8
F18822-30-1.....	8
F19112-30-LED.....	8
F19806-30-3K.....	4
F19806-30-4K.....	4
F19806-30-KS.....	4



*Classic*  
LAMP PARTS

Phone: 323.282.7041  
Fax: 323.446.7534  
CustomerService@ClassicLampParts.com  
www.ClassicLampParts.com